





SPY 39 TRIMLESS IN SOFT 93020 B
24181 9020 B

AVAILABLE IN
BLACK 24181 9020 B
BRUSHED ALU 24181 9020 BRA
BRUSHED ANTHRACITE 24181 9020 BRAT
BRUSHED COPPER 24181 9020 BRCU
BRUSHED GOLD 24181 9020 BRG
BRUSHED OLD BRONZE 24181 9020 BROB
FLEMISH BRONZE 24181 9020 FBR
FLEMISH GOLD 24181 9020 FG
FULL WHITE 24181 9020 FW
GOLD COLOURED 24181 9020 GC
PIANO BLACK 24181 9020 PB
WHITE 24181 9020 W



 [View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - Ø KIT
RECESSED DEPTH (MM)	130
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.4
ADJUSTABILITY	0° to 85° swiveling, 355° rotatable
INFORMATION	REFLECTOR FL-20° EXCL.DIMMABLE LED POWER SUPPLY 350mA-DC

Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	F
CERTIFICATES	CB, ENEC

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 6W / CRI>90 (R9: 50) / 3000K-1800K / 623lm
TM-30 VALUES	rf: 90 / Rg: 99
SDCM	SDCM2
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	623lm // 6W // 105lm/W
LED TECHNICS (LUMINAIRE)	508lm // 7W // 74lm/W

SPY 39 TRIMLESS IN SOFT 93020 B

24181 9020 B


Requirements

- SPY 39 TUBE
- MOUNTING KIT SPY 39 TRIMLESS IN
- LED POWER SUPPLY 350mA-DC DIM (Remote)

For detailed installation instructions, please consult the manual: [24181_XXX0_HAND.pdf](#)

CEILING COMPATIBILITY










Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT SPY 39 TRIMLESS IN	Required
 Plasterboard	 MOUNTING KIT SPY 39 TRIMLESS IN	Required
 Stucanet	 MOUNTING KIT SPY 39 TRIMLESS IN	Required
 Concrete + plaster	 MOUNTING KIT SPY 39 TRIMLESS IN	Required
 Lintel + plaster	 MOUNTING KIT SPY 39 TRIMLESS IN	Required
 Hollow-core slab + plaster	 MOUNTING KIT SPY 39 TRIMLESS IN	Required



9


7

SPY 39 TRIMLESS IN SOFT 93020 B
24181 9020 B

LED power supplies			#
	300 90 63	LED POWER SUPPLY MULTI-POWER DIM9	1->4(4) ☐
	300 90 68	LED POWER SUPPLY MULTI-POWER DIM5	1->2(2) ☐
	300 90 69	LED POWER SUPPLY MULTI-POWER HV DIM9	2->6(6) ☐
	300 90 124	LED POWER SUPPLY MULTI-POWER DIM7	1->2(2) ☐
	300 90 125	LED POWER SUPPLY MULTI-POWER MINI DIM5	1->2(2) ☐
	21012 0021	LED POWER SUPPLY MULTI POWER DIM1	1->3 ☐
	21012 0035	LED POWER SUPPLY MULTI POWER DIM5	1->3 ☐
	21012 005W	LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->3 ☐
	21012 0268	LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8	2->2 ☐


SPY 39 TRIMLESS IN SOFT 93020 B

24181 9020 B




21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

1->2

☐


21012 0308 LED POWER SUPPLY 350mA / 7,35W DIM8

1


☐


21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5

1->2

☐

Mounting kits



24144 0050 MOUNTING KIT SPY 39 TRIMLESS IN

☐

Finish your product



24144 0010 B SPY 39 TUBE B

☐

24144 0010 FBR SPY 39 TUBE FBR

☐

24144 0010 FC SPY 39 TUBE FC

☐

24144 0010 GC SPY 39 TUBE GC

☐

24144 0010 W SPY 39 TUBE W

☐


24144 0070 SPY 39 TUBE SBL

☐

SPY 39 TRIMLESS IN SOFT 93020 B

24181 9020 B

Notes: