



INFORM SQ P200-7 DOWN-UP 92767 B-B

25518 9220 B-B



AVAILABLE IN

BLACK-BLACK 25518 9220 B-B

BLACK-FLEMISH GOLD 25518 9220 B-FG

WHITE-BLACK 25518 9220 W-B

WHITE-WHITE 25518 9220 W-W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	1.5
ADJUSTABILITY	non adjustable
INFORMATION	84 x REFLECTOR FL-67° (DOWN) EXCL.LED POWER SUPPLY 1300mA-DC INCL.2 x CABLE SUSPENSION SINGLE AUTO. 1,6m POWER VIA CABLE SUSPENSION

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	D
CERTIFICATES	CB, ENEC, EPD

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	DOWN: LED cluster 24,6W / CRI>90 (R9: 50) / 2700K / 3545lm UP: LED cluster 21,1W / CRI>90 (R9: 50) / 2700K / 3038lm
TM-30 VALUES	Rf: 93 / Rg: 100
SDCM	SDCM3
RISKGROUP	RG2
LM80	L80 > 60000
LED TECHNICS (LIGHT SOURCE)	DOWN: 3545lm // 24,6W // 144lm/W UP: 3038lm // 21,1W // 144lm/W
LED TECHNICS (LUMINAIRE)	DOWN: 3006lm // 28W // 106lm/W UP: 2048lm // 24W // 84lm/W

Requirements

INFORM SQ POWERBOX 75W (DIM5)

INFORM POWER SUPPLY 60W + SUSPENSION+CONNECTION ST



INFORM SQ P200-7 DOWN-UP 92767 B-B

25518 9220 B-B

For detailed installation instructions, please consult the manual: [25518_XXX0_HAND.pdf](#)


INFORM SQ P200-7 DOWN-UP 92767 B-B

25518 9220 B-B

FINISH YOUR SPECIFICATION

Power box

#




25510 0020 B INFORM SQ POWERBOX 75W B

1

25510 0020 W INFORM SQ POWERBOX 75W W

1



25510 0025 B INFORM SQ POWERBOX 75W DIM5 B


1

25510 0025 W INFORM SQ POWERBOX 75W DIM5 W

1


LED power supplies

#



25510 0405 INFORM POWER SUPPLY 60W DIM5

1



25510 0450 INFORM POWER SUPPLY 60W

1

Electric connection parts

#



15225 0350 B SUSPENSION + CONNECTION ST B

2 needed

15225 0350 W SUSPENSION + CONNECTION ST W

2 needed



INFORM SQ P200-7 DOWN-UP 92767 B-B

25518 9220 B-B

Notes: