



INFORM SQ P282-6 DOWN-UP 92767 B-B

25520 9220 B-B

AVAILABLE IN
BLACK-BLACK 25520 9220 B-B
BLACK-FLEMISH GOLD 25520 9220 B-FG
WHITE-BLACK 25520 9220 W-B
WHITE-WHITE 25520 9220 W-W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	2.2
ADJUSTABILITY	non adjustable
INFORMATION	72 x REFLECTOR FL-67° (DOWN) EXCL.LED POWER SUPPLY 1400mA-DC INCL.3 x CABLE SUSPENSION SINGLE AUTO. 1,6m POWER VIA CABLE SUSPENSION

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	B
CERTIFICATES	CB, ENEC, EPD

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	DOWN: 3 x (LED cluster 7W / CRI>90 (R9: 50) / 2700K / 1013lm) UP: LED cluster 28,1W / CRI>90 (R9: 50) / 2700K / 4051lm
TM-30 VALUES	Rf: 93 / Rg: 100
SDCM	SDCM3
RISKGROUP	RG2
LM80	L80 > 60000
LED TECHNICS (LIGHT SOURCE)	DOWN: 3039lm // 21W // 144lm/W UP: 4051lm // 28,1W // 144lm/W
LED TECHNICS (LUMINAIRE)	DOWN: 2577lm // 24W // 107lm/W UP: 2730lm // 32W // 84lm/W

Requirements

INFORM SQ POWERBOX 75W (DIM5)
 INFORM POWER SUPPLY 60W + SUSPENSION+CONNECTION ST



INFORM SQ P282-6 DOWN-UP 92767 B-B

25520 9220 B-B

For detailed installation instructions, please consult the manual: [25520_XXX0_HAND.pdf](#)


INFORM SQ P282-6 DOWN-UP 92767 B-B

25520 9220 B-B

FINISH YOUR SPECIFICATION

Power box

#




25510 0020 B INFORM SQ POWERBOX 75W B

1

☐

25510 0020 W INFORM SQ POWERBOX 75W W

1

☐


25510 0025 B INFORM SQ POWERBOX 75W DIM5 B

1

☐


25510 0025 W INFORM SQ POWERBOX 75W DIM5 W

1

☐


LED power supplies

#



25510 0405 INFORM POWER SUPPLY 60W DIM5

1

☐


25510 0450 INFORM POWER SUPPLY 60W

1

☐

Electric connection parts

#



15225 0350 B SUSPENSION + CONNECTION ST B

2 needed

☐

15225 0350 W SUSPENSION + CONNECTION ST W

2 needed

☐



INFORM SQ P282-6 DOWN-UP 92767 B-B

25520 9220 B-B

Notes: